## **Listing of Pending Claims**

1. (Currently amended) A Recombinant recombinant viral vector which contains an insert exhibiting the general structure

tTA-intron<sup>1</sup>-TK<sup>+</sup>-TetO<sub>7</sub>-CMV<sup>+</sup>-intron<sup>2</sup>-transgene in which

TetO<sub>7</sub> is the heptamerized tetracycline operator

TK<sup>+</sup> is the minimal thymidine kinase promoter

tTA is a nucleic acid sequence which encodes a fusion protein from the repressor protein inducible by tetracycline and the transcriptional activation domain of the Herpes simplex virus VP16,

CMV<sup>+</sup> is the minimal cytomegalovirus promoter and

Transgene is a nucleic acid sequence which codes for a non-viral protein

Intron<sup>1</sup> is any desired non-encoding nucleic acid sequence with a length of O to approximately 1000 bp and

Intron<sup>2</sup> is any desired non-encoding nucleic acid sequence with a length of O to approximately 1000 bp.

- 2. (Currently amended) <u>A Vector vector according to claim 1 characterized in that wherein</u> the insert is inserted into the viral vector genome in reverse orientation.
- 3. (Currently amended) A Vector vector according to claim 1 or 2 characterized in that wherein the positions of tTA and transgene are inverted in the insert.
- 4. (Currently amended) <u>A Vector vector</u> according to claims 1 to 3 <del>characterized in that wherein</del> the insert contains an additional lac repressor (lacR) between "CMV<sup>+</sup>" and "intron<sup>2</sup>" or between "intron<sup>2</sup>" and "transgene".
- 5. (Currently amended) <u>A Vector vector</u> according to claims 1 to 4 <del>characterized in that</del> wherein the transgene is a nucleic acid sequence encoding a fluorescence protein, luciferase,

## 10/511,237

interleukin-12 (IL-12), interleukin-18 (IL-18), interleukin-2 (IL-2), tumor necrosis factor α (TNF-α) or interferon-γ (IFN-γ).

- 6. (Currently amended) A Vector vector according to claim 5 characterized in that wherein IL-12 is a single chain interleukin-12.
- 7. (Currently amended) A Vector vector according to claims 1 to 6 characterized in that wherein the virus is an adenovirus, an adeno-associated adenovirus (AAV), a retrovirus, in particular a human immunodeficiency virus (HIV), a Herpes simplex virus, a Hepatitis B virus or Hepatitis C virus.
- 8. (Currently amended) <u>A Vector vector</u> according to claims 1 to 7 <del>characterized in</del> that <u>wherein</u> the insert is cloned into the E1 and/or the E3 region of a recombinant adenovirus.
- 9. (Currently amended) A Vector vector according to claims 1 to 8 characterized in that wherein it is obtainable by homologous recombination of a viral plasmid and an expression plasmid with the nucleic acid sequence represented in designated SEQ ID NO:1, SEQ ID NO:2 or SEQ ID NO:3.
- 10. (Currently amended) <u>An Expression expression</u> plasmid with the nucleic acid sequence represented in <u>designated</u> SEQ ID NO:4 or SEQ ID NO:5.
- 11. (Currently amended) Use of a plasmid according to claim 10 for the production Production of a vector according to claims 1 to 9, comprising use of a plasmid according to claim 10.
- 12. (Currently amended) Use of the vector according to claims 1 to 9 for the in In vitro gene expression in eukaryotic cell lines, comprising use of a vector according to claims 1 to 9.

## 10/511,237

- 13. (Withdrawn) Use of the vector according to claim 1 to 9 in the case of which "transgene" encodes a therapeutically effective protein, for the preparation of a medicament for gene therapy.
- 14. (Withdrawn) Use according to claim 13 in which the transgene is IL-2, IL-12, IL-18, TNF-α or INF-γ, and the gene therapy is the gene therapy of malignant diseases.
- 15. (Withdrawn) Use according to claim 14 characterized in that the malignant disease is a solid tumor.
- 16. (Withdrawn) Use according to claims 12 to 15 characterized in that the gene expression is regulated with doxycycline, tetracycline, oxytetracycline, chlorotetracycline, demeclocycline, methacycline or minocycline.
- 17. (Withdrawn) Use of the vectors according to claims 1 to 9 in which "transgene" encodes a reporter protein, for the detection of tetracycline or a derivative thereof in biological, food chemical or similar samples.
- 18. (Withdrawn) Use according to claim 17 characterized in that the derivative is doxycycline.